

SIB EVO

Product Data Sheet

Inherited from our historic Sib&Co range, Sib Evo is a magnificent evolution of these legendary loudspeakers created in 2002. The design gives added value to the timelessness of the original line by revealing a futurist style with elegant lines to enhance the environment it will blend in with to perfection. The design of the acoustics will ensure the sound reveals the beauty of your favourite films, as well as the quality of your stereo music. Sib Evo is a product from the Home Cinema line which is also ideal for listening to High Definition music.



Key points

- Unrivalled power in its category
- An optimal design for advanced integration
- Acoustic accuracy whether for Home Cinema or Hi-Fi
- Optional Hip Evo stand

Technical specifications

Type of loudspeaker	Two-way compact bass-reflex loudspeaker
Speakers	5" (13cm) Polyflex woofer 3/4" (19mm) soft dome tweeter
Frequency response (+/-3dB)	70Hz to 25kHz
Low frequency point (-6dB)	66Hz
Sensibility (2.83V/1m)	90dB
Nominal Impedance	6 Ohms
Crossover Frequency	3.5kHz
Recommended Amplifier Power	25 - 200W
Dimensions (HxWxD)	9 ^{15/16} "x6 ^{3/8} "x6 ^{3/8} " (252x162x162mm)
Weight (unit)	4lbs (1.8kg)

CUB EVO

Product Data Sheet

The Cub Evo subwoofer is the ideal companion for Sib Evo and Sib Evo Dolby Atmos® satellite loudspeakers. The fruit of more than 35 years of expertise, Cub Evo delivers sound equivalent to much larger subwoofers. With its high-end MDF finish, its large speaker driver and its powerful amplifier, Cub Evo will be sure to arouse strong sensations.



Key points

- With the high performance of our Hi-Fi subwoofers
- Powerful 200W Class-D amplifier
- Exclusive streamlined port
- Large 8 1/4" (21cm) speaker driver

Technical specifications

Type of loudspeaker	Active bass-reflex subwoofer
Speaker	8 1/4" (21cm) Polyflex woofer
Frequency response (+/-3dB)	35Hz - 150Hz
Cutoff frequency (-6dB)	30Hz
RCA input	Right, left LFE
Cut-off frequency	3.5kHz
Phase adjustment	Phase inverter 0° / 180°
Amplifier power	200W Class-D amplifier
Power mode	On / Autopower (0.5W)
Dimensions (H x W x D)	2" x 11 1/8" x 11 3/4" (305x282x299mm)
Weight (per unit)	17.5lbs (8kg)

CUB EVO

Product Data Sheet

Reference	Sub 1.0	Pack 5.1	Pack 5.1.2
Item code	ESIBPA2001-BL001	ESIBPA5109-BL001	ESIBPA5121-BL001
Packaging Dimension (LxPxH)	14 ^{27/32"} x14 ^{29/64"} x15 ^{3/4"} (377x367x400mm)	22 ^{41/64"} x14 ^{29/64"} x24 ^{21/64"} (575x367x618mm)	23 ^{35/64"} x15 ^{5/32"} x26 ^{49/64"} (598x385x680mm)
Net weight	21.82lbs (9.9kg)	52.24lbs (23.7kg)	58.42lbs (26.5kg)